

SEMS DocID

594297

MASSACHUSETTS DEP OIL & HAZARDOUS MATERIAL INCIDENT REPORT (circle or fill in all that apply)	
Response Date: 9,12,92 Closed: Yes No SA #: 3-016X ER #: N92 - 1/7-0	
Initial Office Follow-up Office Initial Field Follow-up Field 21E Notification Amended	
City/Town: MIDDLETO Spill Name:	
Address: 40 SCHOOL ST Reported:	AM/PM
Half Town:	
NOTIFIER:	
(Name) Check if Anonymous [] (Affiliation) (Phone)	
PRIMARY SPILL INFORMATION Petroleum / Hazardous / Both / Neither / Unknown	
Material: Amount Reported: Gallons Drums Cu Yds Lbs	_
	known
Environmental Impact: SOIL AIR GROUNDWATER SURFACE WATER ZONE 2 WATER SUPPLY STORM DRAIN SCHOOL	U IOMI
RESIDENCE OTHER:	
BOAY DRUMS VEHICLE TANKER TRUCK UNKNOWN OTHER:	
Release Type: SPILL FIRE OVERFILL TANK REMOVAL TEST FAILURE VEHICLE ACCIDENT	
RUPTURE LEAK DUMPING THREAT ONLY UNKNOWN OTHER:	
Description: SPOKE W/ DAVE MCGOUAN OF CHI - THEY WILL RESPON	<u>2</u>
TO SECURE DRUMS + ASSESS STORAGE. WILL FOLLOW UP W/ RPC	
MONDAY 9/14 RE: TOTAL REMOVAL OF STORED MATERIALS.	
Referral Within DEP: SA HW WS SW AQC WPC WW IWW ENF/SF Staff:	
State Contractor: Used:/ Not Used Federal L.U.S.T. Eligible: No Yes Category:	
Further DEP Response: Yes No Pending Response Needed:	
PRP INFORMATION	
Company:Name:	
Address:	
Business Phone:() Home Phone:()	
NOR Issued: Verbal Field Office Date:/ Responsibility Accepted: Yes No	
PRP Contractor: Contact: Phone:(
Noncompliance Issues:	
OTHER AGENCIES INVOLVED IN OR NOTIFIED OF INCIDENT	
Agency: Date:	
First Contact By: DEP OTHER AGENCY Phone:() - Contact:	
Agency: Date:/Time::AM/PM	
First Contact By: DEP OTHER AGENCY Phone:() - Contact:	
DEP Staff Notified: ER Lead:	
Report Prepared By: KKE MIN 1844. Signature: 714 M/	